



TECHSHIELD

DISTRIBUTED BY

TRUCK & BUS TYRE CATALOGUE

EUROPE



MADE
IN THAILAND



TECHSHIELD

CONTENT



	 LONG HAUL	 REGIONAL
 STEER		 V- PRO S1
 DRIVE		 V- PRO D1
 TRAILER	 V- PRO T2	 V- PRO T1
 ALL POSITION		

 MIXED SERVICE	 URBAN
 V- PRO D2	
 V- PRO A1	 V- PRO A3
 V- PRO A2	

HOW TO READ THE PROFILE NAME

V- PRO S1

V → VIGOROUS

PRO → Advantage Principal

- S → Steer
- D → Drive
- T → Trailer
- A → All Position

1 → Product Version



Long Haul



V- PRO T2





LONG HAUL

LONG HAUL



V- PRO T2

 MADE
IN THAILAND



FEATURES & BENEFITS:

- Wide base single tire for highway transportation
- Super steel belt carcass construction enhances casing strength and maximizes tyre load ability
- The highly wear resistant tread compound greatly improve tread durability
- Special strong shoulder improve tyre shoulder durability
- Unique crown grooving for better heat dispersion

Size	Ply	Load Index	Speed Rating					
435/50R19.5	20	164	J				•	•
445/45R19.5	20	164	J				•	•



Regional



V-PRO S1

V-PRO S2

V-PRO T1

V-PRO D1



V- PRO S1

 **MADE IN THAILAND** 

FEATURES & BENEFITS:

- Low rolling resistance, good wet grip and high mileage fromupgraded compound
- Multi-angle grooves for better tread rigidity and lower rolling noice
- Unique sipes on tread brings better wet grip and snow braking performance
- Optimized rib width for even wear

Size	Ply	Load Index	Speed Rating					
205/75R17.5	14	124/122	M	D	A	73 B	•	•
215/75R17.5	16	135/133	L	D	A	72 B	•	•
225/75R17.5	16	129/127	M	D	A	73 B	•	•
235/75R17.5	16	132/130	M	D	A	73 B	•	•
245/70R17.5	16	136/134	M	D	A	73 B	•	•
225/70R19.5	14	128/126	M	D	A	72 B	•	•
245/70R19.5	18	141/140	M	D	A	72 B	•	•
265/70R19.5	16	140/138	M	D	A	73 B	•	•
285/70R19.5	16	146/144(145/143)	L(M)	D	A	73 B	•	•
255/70R22.5	16	140/137	L	C	A	72 B	•	•



V- PRO S2

 **MADE IN THAILAND** 

FEATURES & BENEFITS:

- Low rolling resistance, good wet grip and high mileage fromupgraded compound
- Multi-angle grooves for better tread rigidity and lower rolling noice
- Unique sipes on tread brings better wet grip and snow braking performance
- Optimized rib width for even wear

Size	Ply	Load Index	Speed Rating					
275/70R22.5	18	150/148	M	C	A	74 B	•	•
295/60R22.5	16	150/147(149/146)	K(L)	C	A	71 A	•	•
295/80R22.5	18	154/149	M	C	A	71 A	•	•
315/60R22.5	20	154/150(152/148)	L(M)	C	A	73 B	•	•
315/70R22.5	20	156/150	L	C	A	74 B	•	•
315/80R22.5	20	158/150(154/150)	L(M)	C	A	74 B	•	•
385/55R22.5	20	160(158)	K(L)	C	A	74 B	•	•
385/65R22.5	24	164(158)	K(L)	C	A	74 B	•	•



V- PRO T1

 **MADE IN THAILAND** 

FEATURES & BENEFITS:

- Wide base single tire for highway transportation
- Super steel belt carcass construction enhances casing strength and maximizes tyre load ability
- The highly wear resistant tread compound greatly improve tread durability
- Special strong shoulder improve tyre shoulder durability
- Unique crown grooving for better heat dispersion

Size	Ply	Load Index	Speed Rating					
215/75R17.5	18	136/134	J	D	B	73 B	•	•
235/75R17.5	18	143/141(145/145)	J(F)	D	A	74 B	•	•
245/70R17.5	18	143/141(146/146)	J(F)	D	A	74 B	•	•
385/55R19.5	18	156	J	C	A	74 B	•	•
385/55R22.5	20	160	K	C	A	74 B	•	•
385/65R22.5	24	164	K	C	A	74 B	•	•
425/65R22.5	20	165	K	C	B	73 B	•	•
445/65R22.5	20	169	K	C	B	73 B	•	•



V- PRO D1

 **MADE IN THAILAND** 

FEATURES & BENEFITS:

- Upgraded 3D sipes for better wet grip and better tread rigidity
- Even wear and low rolling noise brought by carefully crafted lateral grooves
- Better wet grip, high mileage from novel compound
- Optimized directional pttren with specially designed sipes for reliable traction on wet ground and snow

Size	Ply	Load Index	Speed Rating					
205/75R17.5	14	124/122	M	D	A	75 B	•	•
215/75R17.5	16	126/124	M	D	A	75 A	•	•
225/75R17.5	16	129/127	M	D	A	75 A	•	•
235/75R17.5	16	132/130	M	D	A	75 B	•	•
245/70R17.5	16	136/134	M	D	A	75 B	•	•
265/70R19.5	16	140/138	M	D	A	75 B	•	•
285/70R19.5	16	146/144(145/143)	L(M)	D	A	75 B	•	•
295/60R22.5	16	150/147(149/146)	K(L)	D	A	73 B	•	•
295/80R22.5	18	152/148	M	D	A	73 B	•	•
315/60R22.5	20	152/148	L	D	A	74 B	•	•
315/70R22.5	20	154/150	L	D	A	73 B	•	•
315/80R22.5	20	156/150(154/150)	L(M)	D	A	73 B	•	•



Mixed Service

V-PRO A1 V-PRO A2 V-PRO D2





MIXED SERVICE



V- PRO A1

 MADE IN THAILAND



FEATURES & BENEFITS:

- Unique tread design for improved traction and tread wear
- Fuel efficient with lower rolling resistance
- Enhanced casing structure for better handling and footprint
- Advanced waer resistance compound and low void ratio forgreater mileage
- Zigzag design improves traction

Size	Ply	Load Index	Speed Rating					
12.00R24	20	160/157	K	C	C	72 B	•	•
325/95R24	22	162/160	K	C	C	72 B	•	•
315/60R22.5	20	156/150	K	C	C	72 B	•	•
13R22.5	20	156/150	K	C	C	72 B	•	•



V- PRO A2

 MADE IN THAILAND



FEATURES & BENEFITS:

- Improved load capacity from reinforced bead construction
- Robust endurance from high tensile strength casing and belt package
- Good mileage, excellent andurance from high wear-resistant, high chip & cut resistant rubber
- Good chip&cut resistance from massive tread blocks and unique lock-bars
- Reliable traction from widened tread and specially designed pattern

Size	Ply	Load Index	Speed Rating					
385/65R22.5	24	164	K	C	B	74 B	•	•
445/65R22.5	20	169	K	B	B	74 B	•	•



MIXED SERVICE

MIXED SERVICE



V- PRO D2

 MADE
IN THAILAND



FEATURES & BENEFITS:

- Upgraded 3D sipes for better wet grip and better tread rigidity
- Even wear and low rolling noise brought by carefully crafted lateral grooves
- Better wet grip, high mileage from novel compound
- Optimized directional pttren with specially designed sipes for reliable traction on wet ground and snow

Size	Ply	Load Index	Speed Rating					
315/80R22.5	20	156/150	K	D	C	75 B	•	•
13R22.5	20	156/150	K	D	C	75 B	•	•




Urban



V-PRO A3





V- PRO A3

MADE
IN THAILAND



FEATURES & BENEFITS:

- Improved load capacity from reinforced bead construction
- Robust endurance from high tensile strength casing and belt package
- Good mileage, excellent endurance from high wear-resistant, high chip & cut resistant rubber
- Good chip&cut resistance from massive tread blocks and unique lock-bars
- Reliable traction from widened tread and specially designed pattern

Size	Ply	Load Index	Speed Rating					
275/70R22.5	18	152/149	J	C	B	71 A	•	•